

Players are not allowed to operate the pitching machines.

Batters must wear a helmet with face guard

Players are not allowed in the batting cage unsupervised.

Only one batter is allowed in the cage at one time, one on each side. All other players must wait outside with the batting cage door closed.

Make sure the pitching machine is aimed properly before having a player step into the batter's box.

Please leave the batting cages as clean or cleaner than you found them.

Store the pitching machines in the Knaak boxes when finished. Lock the Knaak boxes and the batting cage door. The pitching machine stands can be left out and assembled.

If there is no power at the outlet, unlock and open the main breaker box and reset the breaker that controls the outlets. "Note" lights have separate breaker.

The Glen Ellyn Park District has asked GEGSA to stop all drills that allow a ball to be batted into any fence. It is causing damage to the fencing.

To schedule batting cage time, sign-up using the book in the batting cage Knaak box. Please do not sign up for two consecutive time slots.

Report all pitching machine and batting cage repairs needed to Dan Kroger at the Glen Ellyn Park District , 858-2462 or Brad Steinhilber 858-9216

BATTING CAGE LIGHTS

Lights cannot be turned on before 6:00 p.m. (Lights will take several minutes to reach full power. If lights are accidentally turned off, please wait five minutes before turning back on.)

Lights must be turned off no later than 10:15 p.m.